
Jacobsen Declaration Exhibit AM





Train Server was established as the programming standard overnight. Since 1996, KAM has shipped over 100,000 CD-ROMs to end users and developers. Train Server is such an innovative and unique programming environment that numerous patents (see footnotes on this page) have been granted to KAM both in the United States, Germany, Great Britain, Canada and other countries.

KAM's software programs are categorized into three different types of applications. these are Manual control, Layout automation and Dispatcher operation. Each of these classes of applications are different, and require different types of capabilities to operate and control the model railroad. KAM's philosophy is foster the development of simple applications, that solve the modelers problem, instead of with a do everything solution, designed by committee, complex to operate, and designed on obsolete programming tools such like java or turbo pascal. KAM' software is open and extensible as compared to any other commercial or open source solution.

KAM's Software Overview

KAM Industries incorporated in 1998 as KAMIND Associates, Inc. KAMIND has extended the Train Server architecture adding Microsoft networked COM/DCOM protocol support and the support of Commercial Dispatcher control application from Train Track. **Train Track** developed the Windows NT version of software called

Track Driver Professional 32. KAM, along with Train Tracks extended the software application to support the NMRA DCC protocols.

This software achievement represents the first time that a commercial dispatching product has been ported to the model railroad command and control systems and DCC. This product has been released by KAM and is called Computer Dispatcher Professional (CD-Pro). KAM was the first Model railroad manufacturer to support Win 32 protocols in the operation and control of the model railroad. This advanced program development has lead to numerous patents incorporating advanced designs into KAM's Train Server.

In 1999, KAM Industries expanded in to Europe with inclusion of <u>Computer</u> <u>Dispatcher Lite</u> as part of the KAM's software product line. Computer Dispatcher Lite was designed for the automation conscious model railroad customers, and is a port Bouwens Engineering's Train Wizard. Computer Dispatcher Lite was later renamed to Layout Commander® software to reduce the confusion with Computer Dispatcher Pro. Computer Dispatcher pro is a professional dispatching program, while layout commander is a Layout Automation program.

Classic Panel® software was designed to fill in the missing software component for manual operation in 2000. The software was designed using Sun Java language, and was designed from a 1940's Great Western Dispatchers panel. Microsoft has stop supporting the java language in all of its products in Fall of 2004.

Classic Panel was rewritten to support the .NET runtime to improve performance and to allow portability to the handheld devices. Classic Panel version 3 was released in Winter of 2004. Classic Panel version 1 and version 2 were never production released due to the lack of java support on modern operating systems. Classic Panel 3 incorporates GUI editor, APB and ABS signals, and full interlock support. Classic Panel is the next generation 1940 dispatcher panel designed for the modeler. Classic Panel integrates new signal technology, distributed network support, location information and portability to the Windows CE PDA devices.

Classic Panel Overview

In 2003, Train Server reached another milestone: support for the first full duplex wireless hand held throttle using Microsoft Windows CE devices, called <u>Loco CE®</u>. Loco CE integrates commercial computer Windows CE - PDA products into the model railroad environment using off the shelf computer equipment. Loco CE is the OEM software product included in Lenz Set LI in the United States.

In late 2003 KAM introduced the **distributed XML communications protocol** designed to allow distributed model railroad clients to operate over a remote network using TCP/IP and the XML data/command protocol. The Train Server Architecture clearly extends the boundary on what can or cannot be done to support the end user and developers.

In 2004 KAM introduce The **RailDriver Commander** remote software supporting the RailDriver computer based throttle and full scale simulators running model railroads. Rail driver interface is unique where the interface can be local to the user system, or remote across the internet using Train Server XML protocol. KAM's Train Server architecture supports the demands and performance of a user-to-hardware interface that is unique in the industry.

KAM constantly adding new technologies and introducing new products to market using these technologies. As these events unfold, we will update our companies history.

KAM Product Overview

Site Statistics:

Vistors in 2005: 91,227 Hits in 2005: 1,523,838 Page Views in 2005: 186,127 Vistors in 2004: 107,122 Hits in 2004: 1,825,750 Page Views in 2004: 1,402,272

This site has serverd 1,588,399 pages since August 2004

Send mail to <u>webmaster@kamind.com</u> with questions/comments about this web site.

Copyright © 1991 - 2005 KAM Industries. Engine Commander, Classic Panel, CDPRO, Computer Dispatcher, Computer Dispatcher Pro, Consist Commander, Decoder Commander, Enginterface, IFeedback, IEngComIfc, KAM Industries, Kamind, Layout Commander, Layout Manager, LocoCe, LocoWinCe, RailDriver Commander, Signal Commander, Smart Decoder, The Conductor, Train Basic, Train Controls, Train Move, Train Priority, Train Server, Train Tools, Why play with toys when you can use the prototype, Video Speed are registered trademarks of KAM Industries. Products covered under Patent 6065406, 6267061, 6270040, 6530329, 6460467, 6494408, 6676089, 6702235, 6827023, 6877699, Ger 29923834.2, GB 2353228, CDN 2330931 and other US and international patents pending. All rights reserved

KAM Industries is a division of KAMIND Associates, Inc.

Select this link for KAMIND Associates, Inc. privacy policy.